Postoperative Rehabilitation for Ulnar Collateral Ligament Reconstruction Using Autogenous Palmaris Longus Graft

Neema Pourtaheri, MD

Phase I- Post-Operative:0-3 weeks

Goals:

Protect healing tissue Decrease pain/inflammation Retard muscular atrophy Protect graft site – allow healing

Week 1

- 1. Brace:
- Posterior splint at 90 degrees elbow flexion
- 2. Range of Motion:
 - Wrist AROM ext/flexion immediately postoperative
- Elbow postoperative compression dressing (5-7 days) Wrist (graft site) compression dressing 7-10 days as needed
- 4. Exercises:
 - Gripping exercises
 - Wrist ROM
 - Shoulder isometrics (No Shoulder ER)
 - Biceps isometrics
- 5. Cryotherapy: To elbow joint and to graft site at wrist

Week 2

- 1. Brace:
- Elbow ROM 25-100 degrees
- (Gradually increase ROM 5 degrees Ext/10 degrees of Flex per week)
- 2. Exercises:
 - Continue all exercises listed above
 - Elbow Range of Motion in brace (30-105 degrees)
 - Initiate elbow extension isometrics; continue wrist ROM exercises
 - Scapular strengthening program (manual resistance)
 - Initiate light scar mobilization over distal incision (graft)
- 3. Cryotherapy: Continue ice to elbow and graft site

Week 3

- 1. Brace: Elbow
 - ROM 15-115 degrees 2. Exercises:
 - Continue all exercises listed above
 - Elbow ROM in brace
 - Initiate active ROM Wrist and Elbow (No resistance)
 - Initiate light wrist flexion stretching

 - Initiate light scapular strengthening exercises
 - May incorporate bicycle for lower extremity strength & endurance

Phase II- Intermediate: Week 4-7 Goals:

Gradual increase to full ROM Promote healing of repaired tissue Regain and improve muscular strength Restore full function of graft site

Week 4

- 1. Brace:
- Elbow ROM 0-125 degrees 2. Exercises:
- Begin light resistance exercises for arm (1 lb) − Wrist curls, extensions, pronation, supination Elbow extension/flexion
- Progress shoulder program emphasize rotator cuff and scapular strengthening
- Initiate shoulder strengthening with light dumbbells
- Initiate Thrower's Ten Program without dumbbells

Week 5

- 1. ROM:
- Elbow ROM 0-135 degrees. Discontinue brace
- 2. Continue all Exercises:
 - Progress all shoulder and UE exercises (progress weight 1 lb.)

Week 6

- 1. AROM:
- 0-145 degrees without brace or full ROM
- 2. Exercises:

- Initiate Thrower's Ten Program with isotonic
- Progress elbow strengthening exercises
- Initiate shoulder external rotation strengthening
- Progress shoulder program

Week 7

1. Progress Thrower's Ten Program (progress weights) Initiate PNF diagonal patterns (light)

Phase III- Advanced Strengthening: Week 8-14

Goals:

Increase strength, power, and endurance Maintain full elbow ROM Gradually initiate sporting activities

Week 8

- 1. Exercises:
 - Initiate eccentric elbow flexion/extension
 - Continue isotonic program: forearm & wrist
 - Continue shoulder program Thrower's Ten Program
 - Manual resistance diagonal patterns
 - Initiate plyometric exercise program \circ (2
 - hand plyos close to body only)
 - Chest pass
 - \circ Side throw close to body
 - Continue stretching calf and hamstrings

Week 10

1. Exercises:

- Continue all exercises listed above
- Program plyometrics to 2 hand drills away from body

 Side to side throws
 Soccer throws
 Side throws

Week 12-14

- 1. Initiate Advanced Thrower's Ten Program at week 12
- 2. Continue all exercises
- 3. Initiate isotonic machines strengthening exercises (if desired)
 - Bench press (seated)
- Lat pull down
 Initiate golf, swimming
- 5. Initiate interval hitting program (see program) week 12

Phase IV-Return to Activity: Week 14-32

Goals:

Continue to increase strength, power, and endurance of upper extremity musculature Gradual return to sport activities **Week**

14

- 1. Exercises:
 - Continue strengthening program
 - Emphasis on elbow and wrist strengthening and flexibility exercises
 - Maintain full elbow ROM
 - Initiate one hand plyometric throwing (stationary throws)
 - Initiate one hand wall dribble. Initiate one hand baseball throws into wall

Week 16

1. Exercises:

- Initiate interval throwing program (Phase I) [long toss program]
- Continue Advanced Thrower's Ten Program and plyometrics
 Continue to stretch before and after throwing

Week 22-24

1. Exercises:

• Progress to Phase II throwing (once successfully completed Phase I)

Week 30-32

- 1. Exercises:
 - Once return to sports utilize Thrower's ten program
 - Continue shoulder & elbow ROM & stretching program
 - Gradually progress to competitive throwing/sports
 - Most pitchers return to competitive game pitching at 8-9 months